

Luna PCI-E is the fastest, most secure, cryptographic PCI accelerator card in the industry, and is widely used by major governments, financial institutions and large enterprises around the world. The PCI Express bus on Luna PCI-E easily plugs into the host computer and provides reliable protection for data, applications, and digital identities to reduce risk and ensure regulatory compliance.

### Secure Hardware Key Management

For maximum security, Luna PCI-E offers dedicated hardware key management to protect sensitive cryptographic keys from attack. The high security design ensures the integrity and protection of encryption keys throughout their life cycle. Luna PCI HSMs provide hardware secure key generation, storage, secure key backup and accelerated encryption in a range of models and configurations, offering a wide selection of security, performance and operational capabilities. Luna PCI-E-7000 is securely packaged to meet the most stringent requirements for tamper and intrusion resistance.

### High-Performance Cryptographic Processing

LunaPCI-E offers high-performance cryptographic processing at a rate of 7,000 asymmetric 1024-bit RSA operations per second—more than twice as fast as the nearest competitor—and it can be embedded directly in an application server for an easy-to-integrate and cost efficient security solution.

To prevent unauthorized access to sensitive cryptographic material, Luna PCI-E offers strong two-factor authentication and multiple administrator roles. Luna PCI-E also offers true Trusted Path Authentication using the Luna PED (PIN Entry Device) which is an integrated handheld authentication console that does not rely on commercial keyboards or displays for administrator PIN code entry.

### Alternate Processing Rate

To facilitate unique customer requirements, the Luna PCI-E is also available in a crypto card that performs at a lower rate of 3000 asymmetric 1024-bit RSA operations per second.

This embedded PCI accelerator card, is the same card that powers the acclaimed Luna SA Network HSM, which is widely used by major governments, financial institutions and large enterprises around the world.

### Integrated Physical Security


All models are securely packaged inside specially designed enclosures to meet stringent requirements for tamper and intrusion resistance.

Certified Hardware

- FIPS 140-2 Level 2 and Level 3 validation (in process for short form factor version)
- Designed to meet Common Criteria at EAL 4+
- RoHS compliant

### Cryptographic Capabilities

Luna PCI-E supports a broad range of asymmetric key encryption and key exchange capabilities, as well as support for all standard symmetric encryption algorithms. It also supports all standard hashing algorithms and message authentication codes (MAC), as well as Random Number Generation based on Appendix A 2.4 of ANSI X9.31.



### Benefits

- Fastest Cryptographic PCI Accelerator Card on the Market
- Secure Authentication and Access Control
- PCI Express Compatible
- Full Cryptographic API Support and Developer Toolkits for Easy Integration

## Regulatory Standards Certification

- UL 1950 (EN60950) & CSA C22.2 safety compliant FCC Part 15 -Class B
- RoHS compliant to meet the material component standards for electrical and electronic established for the European Union markets.
- BAC and EAC ePassport Certification

## About SafeNet

SafeNet is a global leader in information security, founded more than 25 years ago. The Company protects identities, transactions, communications, data and software licensing through a full spectrum of encryption technologies, including hardware, software, and chips. More than 25,000 corporate and government customers in 100 countries, including UBS, Nokia, Fujitsu, Hitachi, Bank of America, Adobe, Cisco, Microsoft, Samsung, Texas Instruments, the U.S. Departments of Defense and Homeland Security, the U.S. Internal Revenue Service, entrust their security needs to SafeNet. In 2007, SafeNet was acquired by Vector Capital, a \$2 billion private equity firm specializing in the technology sector. For more information, visit [www.safenet-inc.com](http://www.safenet-inc.com).

## Technical Specifications

### Operating System Support

- Windows 2003 (32 and 64-bit)
- Windows Server 2008/R2 (64-bit)
- Solaris 9, 10 (32 & 64-bit)
- Linux E4, E5 K2.6 (32 and 64-bit)
- Debian 4.0 K2.6 (32 and 64-bit)

### Client API Support

- PKCS#11 v2.20
- Microsoft CryptoAPI 2.0
- Java JCA/JCE
- OpenSSL

### Cryptographic Processing

#### Asymmetric Key Encryption and Key Exchange

- RSA (512-4096 bit), PKCS #1 v1.5, OAEP PKCS#1 v2.0
- Diffie-Hellman (512-1024 bit)

#### Suite B Algorithm Support ECC Support

- ECDSA
- ECC Brainpool Curves (named and user-defined)

#### Digital Signing

- RSA (512-4096-bit), DSA (512-1024-bit), PKCS #1 v1.5

#### Symmetric Key Algorithms

- DES, TDES (double & triple key lengths), RC2, RC4, RC5, CAST-3, CAST-128, AES

#### Hash Digest Algorithms

- SHA-1, MD-2, MD-5, SHA256, SHA512

#### Message Authentication Codes

- HMAC-MD5, HMAC-SHA-1, SSL3-MD5-MAC, SSL3-SHA-1-MAC

#### Random Number Generation

- Luna PCI supports random number generation based on Appendix A 2.4 of ANSI X9.31
- 1280 Object Limit

### Physical Characteristics

#### Card type

- PCI Express Card

#### Operating Temperature

- 0°C to 40°C

#### Storage Temperature

- -20°C to +65°C

#### Power Requirements

- 12V@1.5A max.

#### Max (FIPS Level 3 only)

#### Dimensions

- 4.1" by 6.6"
- PCI Express Base Specification, Revision 1.1
- PCI Express Card Electromechanical Specification, Revision 1.1 x4 link



[www.safenet-inc.com](http://www.safenet-inc.com)

#### Corporate Headquarters:

4690 Millennium Drive, Belcamp, Maryland 21017 USA  
Tel: +1 410 931 7500 or 800 533 3958, Fax: +1 410 931 7524,  
Email: [info@safenet-inc.com](mailto:info@safenet-inc.com)

#### EMEA Headquarters:

Tel: +44 (0) 1276 608 000, Email: [info.emea@safenet-inc.com](mailto:info.emea@safenet-inc.com)

#### APAC Headquarters:

Tel: +852 3157 7111, Email: [info.apac@safenet-inc.com](mailto:info.apac@safenet-inc.com)

For all office locations and contact information, please visit [www.safenet-inc.com/company/contact.asp](http://www.safenet-inc.com/company/contact.asp)

©2010 SafeNet, Inc. All rights reserved. SafeNet and SafeNet logo are registered trademarks of SafeNet.  
All other product names are trademarks of their respective owners.  
PB-Liuna PCI-E-05.07.10